

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4629	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5) with configuration\$1 and simultaneous\$2 and pric\$3 same (base or final or change or difference)(alter\$4 or chang\$3 or modify\$3) with promotion\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:23
L2	4022	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5) with configuration\$1 same simultaneous\$2 and pric\$3 same (base or final or change or difference)(alter\$4 or chang\$3 or modify\$3) with promotion\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:24
L3	124	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5) with configuration\$1 same simultaneous\$2 and pric\$3 same (base or final or change or difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:24
L4	124	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5) with configuration\$1 same simultaneous\$2 and pric\$3 same (delta or base or final or change or difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:24
L5	95	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5) with configuration\$1 same simultaneous\$2 and pric\$3 same (delta and base or final or change or difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:24

L6	63	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5) with configuration\$1 same simultaneous\$2 and pric\$3 same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:25
L7	3	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5) with (product or good\$1 or computer\$1) with configuration\$1 same simultaneous\$2 and pric\$3 same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:26
L8	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5) with (product or good\$1 or computer\$1) with configuration\$1 and simultaneous\$2 with pric\$3 same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:27
L9	7	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5 or many or several) with (product or good\$1 or computer\$1) with configuration\$1 same simultaneous\$2 and (quot\$3 or pric\$3) same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:28

L10	1	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (plurality or multipl\$5 or many or several) with (product or good\$1 or computer\$1) with configuration\$1 same (side adj side or simultaneous\$2) with (quot\$3 or pric\$3) same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:29
L11	0	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (plurality or multipl\$5 or many or several) with custom with configuration\$1 and (side adj side or simultaneous\$2) with (quot\$3 or pric\$3) same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:30
L12	0	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3) same (delta and base or final or change or difference) same (plurality or multipl\$5 or many or several) with custom with configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:30
L13	0	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3) same (delta and base or final or change or difference) same (plurality or multipl\$5 or many or several) with custom same configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:31
L14	14	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3) same (delta and base or final or change or difference) and (plurality or multipl\$5 or many or several) with custom same configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:31

L15	88	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3) and (delta and base or final or change or difference) and (plurality or multipl\$5 or many or several) with custom same configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:35
L16	16	L15 not I14 and "705"/\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:35
L17	3	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3) with (delta and base or final or change or difference) and (plurality or multipl\$5 or many or several) with custom near5 configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:38
L18	113	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5 or many or several) with (product or good\$1 or computer\$1) with configuration\$1 and (quot\$3 or pric\$3) with (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:40
L19	91	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5 or many or several) with (product or good\$1 or computer\$1) with configuration\$1 and (quot\$3 or pric\$3) near4 (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:41

L20	99	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl\$5 or many or several) with (product or good\$1 or computer\$1) with configuration\$1 and (quot\$3 or pric\$3 or rfq) near7 (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:42
L21	7	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) with (plurality or multipl\$5 or many or several) with (product or good\$1 or computer\$1) with configuration\$1 and pric\$3 with (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:43
L22	89	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) with (product or good\$1 or computer\$1) with configuration\$1 and pric\$3 with (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:44
L23	59	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) with (product or good\$1 or computer\$1) near5 configuration\$1 and pric\$3 with (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:45

L24	56	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) with (product or good\$1 or computer\$1) near5 configuration\$1 and pric\$3 with (delta and base or final or change or difference) not trilogy not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:47
L25	248	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) with custom\$4 near4 (product or good\$1 or computer\$1) and configuration\$1 and pric\$3 with (delta and base or final or change or difference) not trilogy not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:49
L26	209	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) near5 custom\$4 near4 (product or good\$1 or computer\$1) and configuration\$1 and pric\$3 with (delta and base or final or change or difference) not trilogy not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:50
L27	3	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) near5 custom\$4 near4 (product or good\$1 or computer\$1) and configuration\$1 and (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) same feature\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:52
L28	9	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) near5 custom\$4 near4 (product or good\$1 or computer\$1) and (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) same feature\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:53

L29	1343	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) and (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) same feature\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:55
L30	54	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) with (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) same feature\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:55
L31	21	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) with (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) same feature\$1 and configur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:56
L32	3	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) with (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) same feature\$1 same configur\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:58
L33	228	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) same feature\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:59
L34	10	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) near7 feature\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:59

L35	225613	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) near7 feature\$1 G06Q	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:00
L36	1	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) near7 feature\$1 and G06Q	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:00
L37	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same custom near7 product \$1 and (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) with feature\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:01
L38	1	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same custom near7 product \$1 and (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:03
L39	1	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same custom near7 product \$1 and (first or second) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:03

L40	35	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same custom near7 product \$1 and (many or multiple or plurality or several) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:04
L41	79	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same custom near7 product \$1 and (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:06
L42	16	("5175795" "5293479" "5311424" "5745765" "5784286" "5877966" "5963953" "5966310" "6064982" "6260068" "6272494" "6351734" "6412012" "6727925" "6865524" "7269664").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/27 15:08
L43	55	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same custom near7 product \$1 and (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1) and pric\$3 same (delta and base or final or change or difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:11
L44	81	("5570291").URPN.	USPAT	OR	OFF	2009/03/27 15:11
L45	14	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same custom near7 product \$1 and (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1) and "707"/\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:14

L46	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same custom near7 product \$1 and (many or multiple or plurality or several) with (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1) and 705/400	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:15
L47	5	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same custom near7 product \$1 and (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1) and 705/400	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:16
L48	78	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and super near5 (quot\$3 or pric\$3 or rfq)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:28
L49	35	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and super near2 (quot\$3 or pric\$3 or rfq)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:29
L50	6145789	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and super near2 (quot\$3 or pric\$3 or rfq) and made-to-order	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:29
L51	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and super near2 (quot\$3 or pric\$3 or rfq) and made-to-order	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:29

L52	2	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and super near2 (quot\$3 or pric\$3 or rfq) same (made-to-order or custom or configurat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:30
L53	897	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) near3 (made-to-order or custom or configurat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:30
L54	335	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) near3 (made-to-order or custom or configurat\$4) and (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:31
L55	197	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) near3 (made-to-order or custom or configurat\$4) and (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1) and (quot\$3 or pric\$3) same (delta and base or final or change or difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:32
L56	8	(@ad<"20010201" or @pd<"20010201" or @riad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) near3 (made-to-order or custom or configurat\$4) and (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1) and (quot\$3 or pric\$3) same (delta and base or final or change or difference) and 705/400	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:32

L57	1	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) near3 (made-to-order or custom or configurat\$4) and (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:34
L58	2	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (made-to-order or custom or configurat\$4) and (chang\$3 or modification\$1 or alter\$3 or modify\$3) with (attribute\$1 or feature\$1 or model\$1 or make\$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:35
L59	9	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (made-to-order or custom or configurat\$4) and (chang\$3 or modification\$1 or alter\$3 or modify\$3) same (part\$1 or accessor\$3 or attribute\$1 or feature\$1 or model\$1 or make\$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:35
L60	312	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (made-to-order or custom or configurat\$4 or customizing)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:38
L61	111	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (made-to-order or custom or configurat\$4 or customizing) and (part\$1 or accessor\$3 or attribute\$1 or feature\$1 or model\$1 or make\$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:38

L62	12	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (made-to-order or custom or configurat\$4 or customizing) near7 (goods or product\$1 or automobile\$1 or house\$1 or computer\$1) same (part\$1 or accessor\$3 or attribute\$1 or feature\$1 or model\$1 or make\$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:40
L63	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (made-to-order or custom or configurat\$4 or customizing) with (goods or product\$1 or car or cars or automobile\$1 or house\$1 or computer\$1) and chang\$3 with (part\$1 or accessor\$3 or attribute\$1 or feature\$1 or model\$1 or make\$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:42
L64	7	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) same (made-to-order or custom or configurat\$4 or customizing) with (goods or product\$1 or car or cars or automobile\$1 or house\$1 or computer\$1) and select\$3 with (part\$1 or accessor\$3 or attribute\$1 or feature\$1 or model\$1 or make\$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:43
L65	13	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot\$3 or pric\$3 or rfq) and (made-to-order or custom or configurat\$4 or customizing) with (goods or product\$1 or service\$1 car or cars or automobile\$1 or house\$1 or computer\$1) and select\$3 with (part\$1 or accessor\$3 or attribute\$1 or feature\$1 or model\$1 or make\$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:44

3/ 27/ 2009 3:56:52 PM